

3933 US ROUTE 11, CORTLAND, NEW YORK 13045 Phone Number: 1-800-345-3851 Fax Number: 607-758-3648

REPORT OF TEST

RENDERED TO:

HCS KABLOLAMA SISTEMLERI SANAYI VE TICARET AS Turgut Reis Mah.Barbaros Cad. Giyimkent Kooperatif içi Vadi Bulvarı No:1 34235 Esenler Istanbul, Turkey

The product described in this Report was tested and examined by Intertek for compliance to the standards listed below. The products listed below are not part of an Intertek ETL SEMKO Verification Program. The results are provided to the client as a one time performance test and shall not be utilized to imply compliance to the standard as part of an on-going program.

Reference Intertek Report No.: 3115242CRT-007

Dated: April 18, 2007

Far End Near End 3 1 1 2 Component ID Manufacturer Description Part Number HCS Equipment Cord 1 T6A-00430-30 HCS 2 J6A-00823 Wall Outlet HCS H6A-00411 3 Horizontal Cable

Conclusion:

2 Connector Channel

The Channel Configuration, as previously described was tested in accordance with the procedures contained in IEEE 802.3an-2006 Part 3: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications. Amendment 1: Physical Layer and Management Parameters for 10 Gb/s Operation, Type 10GBASE-T. The channel was found to be in compliance with the indicated applicable electrical requirements for Augmented Category 6 cabling. Testing was performed at Intertek ETL SEMKO in Cortland, New York.

Approved By:

Ftephen R. Comes

Stephen R. Comer Laboratory Supervisor Global Cabling Products Testing

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to copy or distribute this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.